

Devon Log Cabin[®]

Technical Details



For Queries and Help please access our Support Centre: www.gardenbuildingsdirect.co.uk/help



In association with



PROPRIETARY AND CONFIDENTIALITY

All the information contained within this document including all technical data, dimensions, shape/form and branding (inc. trademarks, logos, etc.) Is the sole property of Kybotech Limited. The reproduction and/or disclosure to any third party of any information contained within this document is strictly prohibited. Breaches of the copyright will be dealt with on the highest level of severity with immediate legal proceedings.



BILLYOH

Devon Log Cabin[®] Technical Details

Side elevation: depth 4.5m - Side Window

Overall Building Depth: Includes Overhang

all thicknesses = 4.659m/15'3"



Internal Depth

all thicknesses = 4.134m/13'7''

Building Wall Depth

28mm = **4.376m/14'4"**

35mm = 4.390m/14'5" 44mm = **4.408m/14'6**"

Sizes available

available in standard 28mm, premium 35mm and ultimate 44mm cladding types



Devon Log Cabin W5.0m x D4.5m



Devon Log Cabin W4.5m x D4.5m



Devon Log Cabin W4.0m x D4.5m



Devon Log Cabin W3.5m x D4.5m

W5.0m x D4.5m / W18'1" x D14'9"


Devon: Front elevation

Overall Building Width

all thicknesses = 5.052m/16'7''



Base Size and Bearers Layout (Pressure Treated)



Front of Building

lease note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least m clearance on each side to allow annual treatment to be applied.

W4.5m x D4.5m / W14'9" x D14'9"


Devon: Front elevation

Overall Building Width

all thicknesses = 4.452m/14'7''



Base Size and Bearers Layout (Pressure Treated)



Front of Building

lease note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least m clearance on each side to allow annual treatment to be applied.

W4.0m x D4.5m / W13'1" x D14'9"


Devon: Front elevation

Overall Building Width

all thicknesses = 4.152m/13'7''



Base Size and Bearers Layout (Pressure Treated)




Front of Building

lease note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least m clearance on each side to allow annual treatment to be applied.


W3.5m x D4.5m / W11'6" x D14'9"

Devon: Front elevation

Overall Building Width all thicknesses = 3.530m/11'7"



Base Size and Bearers Layout (Pressure Treated)



Front of Building

Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.