



Premium Sportsman[®] Log Cabin

Technical Details

For Queries and Help
please access our Support Centre:
www.gardenbuildingsdirect.co.uk/help


Premium Sportsman Log Cabin

Front elevation: width 3.5m

BILLYOH

Sizes available

available in standard 19mm cladding types



Premium Sportsman III Log Cabin
W3.5m x D3.5m



Premium Sportsman II Log Cabin
W3.5m x D3.0m




Premium Sportsman I Log Cabin
W3.5m x D2.5m

W3.5m x D3.5m / W11'6" x D11'6"


Premium Sportsman III:

Side elevation



Base Size and Bearers Layout

(Pressure Treated)




Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.

W3.5m x D3.0m / W11'6" x D9'10"


Premium Sportsman II:

Side elevation



Base Size and Bearers Layout

(Pressure Treated)




Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.

W3.5m x D2.5m / W11'6" x D8'2"


Premium Sportsman I:

Side elevation



Base Size and Bearers Layout

(Pressure Treated)



Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.