



# 10ft Traditional Apex Windowless Workshop

Door Offset  
6000 Range<sup>©</sup>

Technical Details

For Queries and Help  
please call Product

Support:


01636 858377

## PROPRIETARY AND CONFIDENTIALITY

All the information contained within this document including all technical data, dimensions, shape/form and branding (inc. Trademarks, logos, etc.) is the sole property of Kybotech Limited. The reproduction and/or disclosure to any third party of any information contained within this document is strictly prohibited. Breaches of the copyright will be dealt with on the highest level of severity with immediate legal proceedings.

**Sizes available**  
available in standard 16mm shiplap cladding

# 10ft Traditional Apex Windowless Workshop Door Offset 6000 Range Side elevation: width 3.187m/10'5"



Windowless Workshop  
W10ft x D20ft




Windowless Workshop  
W10ft x D16ft

# W3.187m x D5.946m / W10'5" x D19'6"


## Tongue & Groove Windowless Workshop

### Door Offset: Front elevation




Front of Building

### Floor Plan



### Floor Profile



Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.






# W3.187m x D4.774m / W10'5" x D15'8"

## Tongue & Groove Windowless Workshop

### Door Offset: Front elevation

### Floor Plan



Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.