

10ft Reverse Apex
Log Cabin Shed
Double Door Range
Technical Details[©]



For Queries and Help
please call Product
Support:
01636 858377

BILLYOH

Creating a garden lifestyle...

In association with



PROPRIETARY AND CONFIDENTIALITY

All the information contained within this document including all technical data, dimensions, shape/form and branding (inc. Trademarks, logos, etc.) Is the sole property of Kybotech Limited. The reproduction and/or disclosure to any third party of any information contained within this document is strictly prohibited. Breaches of the copyright will be dealt with on the highest level of severity with immediate legal proceedings.



10ft Reverse Apex Log Cabin Shed

Double Door Range


Side elevation: depth 3.256m/10'8"

Sizes available

available in standard 19mm cladding types



Reverse Apex Log Cabin Shed
D10ft x W14ft
(Including Overhang)




Reverse Apex Log Cabin Shed
D10ft x W12ft
(Including Overhang)

D3.256m x W4.439m / D10'8" x W14'7"


Interlocking Windowed Shed:

Front elevation




Front of Building

Floor Plan



Floor Profile




Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.

D3.256m x W3.853m / D10'8" x W12'8"


Interlocking Windowed Shed:

Front elevation



Front of Building

Floor Plan



Please note: your base must be perfectly level and drainage is required to allow water to run off the surface. There must also be at least 2m clearance on each side to allow annual treatment to be applied.